



# Stamped Concrete Patterns & Tools Catalogue

2024 V.5

All patterns are copyrighted.

Decorative  
Concrete  
**IMPRINTING  
TOOLS**





---

## **GARDEN STONE**

(106 cm x 106 cm) (No.ITB-001)

---



---

## **PALLADIAN SLATE STONE**

(91 cm x 91 cm) (No.ITB-002)

---





---

## EUROPEAN FAN STONE

(66 cm x 117 cm) (No.ITB-003)

---



---

## BOARDWALK - 3

(208 cm x 46 cm) (No.ITB-004)

---



---

## **BOARDWALK - 5**

(180 cm x 75 cm) (No.ITB-005)

---



---

## **BORDER STAMP**

(22 cm x 81 cm) (No.ITB-006)

---






---

## **ASHLAR STONE STAMP**

(58 cm x 58 cm) (No.ITB-007) A & B

---




---

## **RANDOM BLUE STONE STAMP**

(74 cm x 74 cm) (No.ITB-008) A&B&C

---



---

## **HERRINGBONE STAMP**

(57 cm x 71 cm) (No. ITB-009)

---




---

## **LONDON COBBLE STAMP**

(43 cm x 76 cm) (No. ITB-010)

---





---

## **OLD ENGLISH STAMP**

(43 cm x 86 cm) (No. ITB-011)

---



---

## **WESTERN ASHLAR STAMP**

(61 cm x 61 cm) (No. ITB-012)

---




---

## **LARGE BUSHED STONE BORDER**

(30 cm x 122 cm) (No. ITB-013)

---



---

## **PEBBLE STONE STAMP**

(81 cm x 81 cm) (No. ITB-014)

---





---

## **RIVER STONE STAMP**

(70 cm x 70 cm) (No.ITB-015)

---



---

## **EDGE STONE STAMP**

(84 cm x 84 cm) (No. ITB 016)

---



---

## CIRCLE STONE STAMP

ITB 017

ITB 017-1: 76 cm R

ITB 017-2: 152 cm R

ITB 017-3: 228 cm R

---



---

## ASHLAR SLATE STAMP

(61 cm x 61 cm) (No.ITB-018) A & B & C

---





---

## ORCHARD SLATESTAMP

(134cmx119cm) (No.ITB-019) A & B & C

---



---

## DIAMOND TILE STAMP

(46 cm x 92 cm) (No.ITB-020)

---



---

## WOOD PLANK STAMP

(No. ITB -021)

30x41 cm / 30x82 cm / 30x123 cm / 30x164 cm

---



---

## SOLDIER COARSE BORDER STAMP

(No. ITB 022)

Border: 73x21,5 cm

Corner / Köşe: 21,5x21,5 cm

---





---

## ENGLAND BASKET WAVE

(60 cm x 90 cm) (No.ITB-023)

---



---

## TRANCUATED DOME MAT

(60 cm x 60 cm) (No.ITB-024)

---



---

## **GROOVED MAT**

(40 cm x 80 cm) (No.ITB-025)

---



---

## **BLUE STONE STAMP**

(46 cm x 92 cm) (No.ITB-026) A & B & C

---





---

## **BRICK RUNNING BOND**

(81,5 cm x 51 cm) (No.ITB-027)

---



---

## **LISBON GRANITE**

(84 cm x 64 cm) (No. ITB-028)

---



---

## **OLD HERRINGBONE BRICKSTAMP**

(74 cm x 108 cm) (No. ITB 029)

---



---

## **LARGE COBBLE**

(61 cm x 130 cm) (No. ITB-030) A & B

---





---

## **SANTA BARBARATILE**

(78 cm x 78 cm) (No. ITB 031)

---



---

## **FIELD STONE STAMP**

(50 cm x 76 cm) (No. ITB-032)

---



---

## **TILE BLUE STONE STAMP**

(60 cm x 90 cm) (No. ITB-033)

---




---

## **SAND STONE STAMP**

(90 cm x 90 cm) (No. ITB-034)

---





---

## **3 D CUBIC STONE STAMP**

(105 cm x 43 cm) (No. ITB 035)

---



---

## **WALK WAY STAMP**

(45,5 cm x 91 cm) (No.ITB-036)

---



---

## COMPASS STAMP

(R: 120 cm) (No.ITB 037)

---



---

**"2 ROW"**

## STONE BORDER STAMP

(23,5 cm x 79 cm) (No.ITB-038)

---






---

## **BIG 3D STAMP**

(120 cm x 91,5 cm) (No.ITB-039)

---



---

## **10CM COBBLE STONE**

(60 cm x 60 cm) (No.ITB-040)

---



---

## **OLD WOOD STAMP**

(139,5 cm x 40,5 cm) A & B (No.ITB-041)

---




---

## **ENGLISH ASHLAR**

(91 cm x 91 cm) A & B (No.ITB-042)

---





---

## **LARGE ASHLAR**

(91 cm x 91 cm) A & B (No.ITB-043)

---




---

## **FLAT WALKWAY STONES STAMP**

(79 cm x 46 cm) (No.ITB-044)

---




---

## **RAMP STAMP**

(120 cm x 70 cm) (No.ITB-045)

---



---

## **PAVING STONES STAMP**

(91 cm x 47 cm) (No.ITB 046)

---





---

## ROMAN BORDER STAMP

(45 cm x 24 cm) (No.ITB-047)

---




---

## OCTAGON STONE STAMP

(101 cm x 50,5 cm) (No.ITB-048)

---




---

## **DOUBLE FAN STAMP**

(115 cm x 49,5 cm) (No.ITB 049)

---




---

## **DEEP TEXTURE RANDOM STONE STAMP**

(87 cm x 87 cm) (No.ITB 050)

---





---

## **3D NEW STYLE STAMP**

(124 x 90 cm) (No.ITB-051)

---




---

## **VERONA STONE STAMP**

(125 x 70 cm) (No.ITB-052)

---





---

## FRAMED TILE STONE STAMP

(80 x 40 cm) (No. ITB-053)

---




---

## MADALLION STAMP

(R: 80 cm) (No. ITB-054)

---





---

## **CUBIC COBBLESTONE STAMP**

(79 cm x 46 cm) (No. ITB-055)

---



---

## **EDINBURGH STONE STAMP**

(65,5 cm x 85 cm) (No.ITB-056)

---




---

## **SMALL COMPASS STAMP**

(80 cm) (No. ITB 057)

---




---

## **LARGE TILE STAMP**

(120 cm x 58 cm) (No. ITB 058)

---





---

## **STARS & DIAMONDS**

(97 cm x 40 cm) (No. ITB 059)

---



---

## **SERPENTINE STAMP**

(127 cm x 66 cm) (No. ITB 060)

---




---

## **CASTLE STONE STAMP**

(120 cm x 120 cm) (No. ITB 061)

---



---

## **RANDOM BORDER STONE**

(30 cm x 110 cm) (No. ITB 062)

---





---

## **TILE BORDER STAMP**

(20 cm x 100 cm) (No. ITB 063)

---



---

## **TILE BORDER STAMP**

(30 cm x 100 cm) (No. ITB 064)

---




---

## **SQUARE FRAME WOOD**

(70 cm x 60 cm) (No. ITB-065)

---



---

## **SLATE TILES**

(70x70 cm - 35x35 cm) (No. ITB-066)

---





---

## **WOOD TILE STAMP**

(73 cm x 44 cm) ( No.ITB-067)

---



---

## **SLIM BORDER STAMP**

(21 cm x 83 cm) (No. ITB-068)

---



---

## **ORIENT DREAM STONE STAMP**

(77 cm x 76 cm) (No. ITB-069)

---



---

## **SHARP SQUARE BORDER STAMP**

(30 cm x 88 cm) (No. ITB-070)

---





---

## **CIRCLE FAN STONE STAMP**

(120 cm x 85 cm) (No.ITB-071)

---



---

## **DOUBLE RANDOM STONE STAMP**

(118 cm x 57 cm) (No.ITB-072)

---





---

## **ROMAN COBBLE STONE STAMP**

(52,5 cm x 90 cm) (No.ITB-073)

---



---

## **VERSACE BORDER STAMP**

(114 cm x 22 cm) (No.ITB-074)

---





---

**ASIAN FAN STAMP**  
(71,5 cm x 71,5 cm) (No.ITB-075)

---



---

**DOMINO STONE STAMP**  
(40 cm x 80 cm) (No.ITB-076)

---





---

## **FOUR CIRCLE STAMP**

(75 cm x 75 cm) (No.ITB-077)

---



---

## **KING BORDER STAMP**

(40 cm x 80 cm) (No.ITB-078)

---





---

## **ISTANBUL COBBLESTONE**

(106,5 cm x 51 cm) (No.ITB-079)

---



---

## **BELGIUM SLATE**

(70 cm x 70 cm) (No.ITB-080)  
(35 cm x 70 cm) (No.ITB-080)

---



---

## **SLATE TILE**

**(90 cm x 90 cm) (No.ITB-081)**

---



---


## **DEEP WOOD PLANK**

**(120,5 cm x 28 cm) (No.ITB-082)**

**(90,5 cm x 28 cm) (No.ITB-082)**

---





---

**WOOD FRAMED SLATE STAMP**  
(75 cm x 75 cm) (No.ITB-083)

---



---

**LOTUS CIRCLE**  
(80 cm) (No.ITB-084)

---





---

## **STORM CIRCLE**

(90 cm) (No.ITB-085)

---



---

## **NEW BASKET WAVE TILE**

(78 cm x 78,5 cm) (No.ITB-086)

---





---

## **NEW CROSS TILE**

(63 cm x 94 cm) (No.ITB-087)

---



---

## **DEL-SOLE**

(61 cm x 73 cm) (No.ITB-088)

---



---

## **BLENDED COBBLESTONE**

(53,5 cm x 79,5 cm) (No.ITB-089)

---




---

## **BASKET WAVE SLATES**

(60 cm x 60 cm) (No.ITB-090)

---





---

## LINED STONE

(50 cm x 100 cm) (No.ITB-091)

---



---

## GREEK COBBLE

(41 cm x 82 cm) (No.ITB-092)

---



**30x120 cm Bull Float Set**

**HT 001 Knuckle Head Bracket+ HT 004 (x2) Alum Handle + HT 005 Big D Fresno**



**HT 002 Pool Trowel**

Length : 45 cm Width: 12 cm  
Material: Steel, Plastic Handle



**HT 006 Stainless Steel Hand Sidewalk Edger**

Length 8 in. (20.32 cm) - Width 4 in. (10.16 cm) - Thickness 0.06 in. (0.1524 cm) - Radius 1/2 in. (1.270 cm) - Lip 5/8 in. (1.58750 cm)  
Material: Stainless Steel Blade, Steel Mounting, Wood Handle



**HT 007 Extruded Magnesium Hand Float**

Length 16 in. (40.64 cm) - Width 3.25 in. (8.2550 cm) - Material Magnesium Blade; Wood Handle.




**HT 008 Big Bit Hand Groover**

Length 6 in. (15.24 cm) - Width 4.5 in. (11.430 cm) - Radius 3/8 in. (0.95250 cm) - Bit Depth 3/4 in. (1.9050 cm) - Bit Width 7/8 in. (2.22250 cm) - Material 100% Bronze



**HT 009 Decorative Concrete Border Hand Groover**

Length 6 in. (15.24 cm) - Width 6 in. (15.24 cm) - Thickness 0.12 in. (0.3048 cm)  
Radius 1-1/2 in. (3.810 cm) - Bit Depth 1-3/4 in. (4.4450 cm)



**HT 010 Hand Edger with Adjustable Groover**

Length: 5 in. (12.70 cm) - Width 12 in. (30.48 cm) - Radius 1/2 in. (1.270 cm)  
Bit Depth 3/4 in. (1.9050 cm) - Lip 5/8 in. (1.58750 cm) - Blade Length 5 in. (12.70 cm)




**Tamper / Pounder**

Length 120 cm, 25x25 cm Weight : 7,5 kg





## Texture Skin Stamps



---

## **GRANITE TEXTURE SKIN STAMP**

TS 001 - (90 cm x 90 cm)

---



---

## **FLOPPY STONE TEXTURE STAMP**

TS 002 - (90 cm x 90 cm)

---






---

## **LEAVES TEXTURE SKIN**

TS 003 - (90 cm x 90 cm)

---



---

## **EARTH STONE TEXTURE SKIN**

TS 004 - (90 cm x 90 cm)

---





---

## **TRAVERTINE TEXTURE SKIN**

TS 005 - (90 cm x 90 cm)

---



---

## **ANTIQUÉ SLATE TEXTURE SKIN**

TS 006 - (90 cm x 90 cm)

---





---

## **PEBBLE STONE TEXTURE SKIN STAMP**

TS 007 - (90 cm x 90 cm)

---



---

## **SLATE TEXTURE SKIN WITH PEBBLE STONES**

TS 008 - (90 cm x 90 cm)

---





---

## **OLD GRANITE TEXTURE SKIN**

TS 009 - (90 cm x 90 cm)

---



---

## **ITALIAN FLAME TEXTURE SKIN**

TS 010 - (110 cm x 110 cm)

---





**Application  
Products**



## COLOR HARDENER

Available in 26 kg Plastic Pail and 25 kg Bag Packaging. Coverage 3,5-4 kg/m<sup>2</sup>

Flex C Ment Color Hardener is a dry shake, color hardener that is applied to the surface of freshly placed concrete. It is a cementitious-based coloring material that may be used to create abrasion resistant interior floors and freeze-thaw stable exterior hardscapes. The time-tested formulation of Flex C Ment Color Hardener creates an extremely dense surface that is resistant to foot and vehicular traffic, and extreme weather. It is available in 32 color options.

Properties of Flex-C-Ment™ Color hardener

Values below are test result undertaken by construction materials laboratory of Ready Mix Concrete Union of Turkey, an institute accredited by TURAK (Turkish Accreditation Agency).

Ref No.667C-10

Date : 01.09.2020

Standard EN 196-1:2016:Article 9

Compressive Strength Test Result: Average of 6 Specimens: 47,4 N/mm<sup>2</sup> (MPa)

Flexural Strength Test Result: Average of 3 Specimens: 8 N/mm<sup>2</sup> (MPa)



## POWDER RELEASE AGENT

Release Agent for Stamp Concrete Applications. Available in 20 kg packages  
Coverage 100-150 gram/m<sup>2</sup>

Powder Release Agent is a color powdered bond breaker used with stamping mats, texturing skins and texture rollers. It also provides accent colors that compliment or contrast with the underlying concrete surface. Additionally, it enhances the transfer of the detailed pattern and texture, and prolongs the surface life of the stamping mat or texturing tool. It is compatible with integrally colored concrete, color hardened concrete and stampable cementitious overlays. Antiquing Release is a finely ground, streak free powder that is a blend of UV-resistant pigments and water repelling additives. It is broadcast over the concrete surface prior to placing the stamping or texturing tools. As the imprinting tool is pressed into the plastic concrete surface, a portion of the Antiquing Release is embedded into the textured surface of the concrete. As the tool is removed, it breaks cleanly, without marring the colored concrete surface. Upon washing and sealing, the difference in color between the base concrete and the release creates a visually attractive, antiqued look to the concrete. The added color visually enhances the depth of the texture. The amount of release agent retained on the concrete will vary. Antiquing Release can be used in matching or contrasting colors to create a variety of effects.





---

## FLEX SEAL SUPREME/SPX ACRYLIC SOLVENT BASED SEALER

---

Available in Gloss And Mat finish options.  
25 Lt bucket packaging Coverage 150 - 200 gram / m2



---

## CUSTOMIZED STAMP PRODUCTION

---

**FLEX-C-MENT**

**DBS**  
**DBS**  
İNŞAAT

**DBS İnşaat Taahhüt Kimya Sanayi Tic. Ltd. Şti.**

Head Office: Bağdat Cd., Altay Çeşme Mah. Sanayi Sk. Demirli Sit.

A Blok No:6 Dük.:1 Maltepe 34843 İstanbul

Tel: +90 (216) 457 80 47 Fax: +90 (216) 457 80 46

Plant: +90 (262) 744 96 32 info@flex-c-ment.com.tr

[www.flex-c-ment.com.tr](http://www.flex-c-ment.com.tr)

